

Premier Series Features

General Features

- Solid cherry, hickory, maple or oak wood for:
 - Dresser vanity and furniture - doors, drawer fronts, false drawer front, ends, face frame, sill, legs, side moldings and top moldings.
 - Vanity - doors, drawer fronts, false drawer front, face frame, side moldings and top molding.
 - Mirrored Cabinet, Framed Mirror and Light - doors, light front, crown molding, sill, side moldings and top molding.
 - Linen Cabinetry - doors, drawer fronts, face frame, crown molding, skirt, side moldings and top molding.
- Self-closing fully-concealed European style hinges.
- Natural finish interior, shelves and drawers.
- Backs on dresser vanities, vanities, linen cabinets, mirrored cabinets and framed mirrors are 1/8" maple laminate hardboard.
- Crown molding adds 1 7/8" to stated depth and 3 7/8" to stated width.
- Durable catalyzed varnish finish.

Drawer Features



- English dovetailed, solid 5/8" maple wood drawer boxes with 5-piece construction.
- Blum® tandem full extension, undermount, self-closing drawer glides (or equivalent) with a lifetime guarantee.
- Drawer bottoms are 1/4" birch veneer plywood.
- Soft Close Drawer glides are an option.

Vanity & Base Features

- Ends of 1/2" cherry, hickory, maple or oak veneer core plywood.
- Door hinges are concealed self-closing with 106° - 110° opening.
- Cabinet framing parts and corner blocks of 3/4" thick hardwood.
- Sink door pairs have no center stile to limit plumbing access.
- Tall 33 1/2" height.
- Vanity tops are not included with vanity or base price.

Dresser Vanity, Linen Tower & Base Tower Features

Features are the same as Vanity Features except for the following:

- 9" legs are mounted to a bottom sill.
- Dresser Vanities, Linen Towers and Base Towers are standard with Raised Panel Ends. The Raised Panel style will be Ridgefield when the Ridgefield or Villa Door style is chosen; will be Shaker when the Edgewood, Fairfax, Shaker, Old Town or Shaker Door style is chosen; and will be Prestige when the Prestige or any remaining Door style is chosen. To order with a lower priced Plywood End Panel see Premier Personal Design Options on page 21. Not available in Open Dresser models.
- Base Tower with 1 door has 1 adjustable shelf.
- Partition dividers are standard on widths of 48", 54" and 60".
- Cabinet interiors have a natural finish to brighten the inside for storage use except on glass door models where the interior is completely finished.
- All open areas are stained and finished.
- To install inside standard 3/8" base molding on models with legs, use a belt sander to remove about 1/4" from the back of each back leg.
- Wood Tops are not included with Dresser or Open Dresser price.
- Linen Tower - Base can be standard linen cabinet base, with skirt and toe board, or can be 9" legs mounted to a bottom sill. The height with standard base is 60 3/8" and with 9" legs and sill is 66 3/8".
- Linen Tower has beveled glass (Monterey has Reeded glass) in the top door. Two-door models have 1 fixed and 3 adjustable shelves; One-door with drawer stack models have 1 fixed and 2 adjustable shelves. The crown molding with plywood insert to form top is included.
- Linen Tower - The crown molding with plywood insert, to form the top, is included.
- Linen Tower - All open areas or areas behind a glass door are stained and finished.
- Linen Tower - Glass is 3/16" clear glass with beveled edges. Optional Reeded Glass is 3/16" thick.

Premier Series Features

Linen Cabinet Features

- The crown molding sub-assembly is shipped ready to install with instructions for easy assembly.
- Ends of 1/2" cherry, hickory, maple or oak veneer core plywood.
- Door hinges are concealed self-closing with 106° - 110° opening.
- Shelves are made of 1/2" maple veneer core plywood with a birch strip applied to the front edge.
- Linen Cabinet (85 3/4" tall with crown molding) has 2 fixed shelves and 3 adjustable shelves.
- LB - Linen Utility has 1 fixed and 3 adjustable shelves.
- LC/LJ - Linen Cabinet has 2 fixed shelves and 3 adjustable shelves.
- LD/L2 has 1 fixed shelf, 2 adjustable shelves and 3 drawers.
- LF/L7 - Linen Cabinet has 1 fixed shelf, 2 adjustable shelves and 3 drawers.
- LH - Linen Hamper has 2 fixed shelves, 2 adjustable shelves and 1 roll-out hamper.

Counter Wall Cabinet Features

- The crown molding sub-assembly is shipped ready to install with instructions for easy assembly.
- Ends of 1/2" cherry, hickory, maple or oak veneer core plywood.
- Door hinges are concealed self-closing with 106° - 110° opening.
- Shelves are made of 1/2" maple veneer core plywood with a birch strip applied to the front edge.
- Counter Wall Cabinet (47 1/2" tall with crown molding) is designed to sit on a vanity top. These models are 12" or 10 1/4" deep.
- Glass for Counter Wall Cabinet is 3/16" clear glass with beveled edge, except for Monterey, which has Reeded Glass as standard. Optional Reeded glass is 3/16" thick.
- All open areas or areas behind a glass door are stained and finished.
- TG, TJ - Counter Wall Cabinet has 1 fixed and 2 adjustable shelves. It is stained and finished inside. Top door is glass.
- TF - Counter Wall Cabinet has 1 fixed, 1 adjustable shelf and 3 drawers. It is stained and finished inside. Top door is glass.
- TK, TL - Counter Wall Cabinet has 1 fixed and 2 adjustable shelves.
- TE - Counter Wall Cabinet has 1 fixed and 1 adjustable shelf and 3 drawers.
- TM - Counter Wall Cabinet with Open Shelves has 1 fixed and 2 adjustable shelves.

Premier Series Features

Bath Light Features

- Lights can be separate or built into the mirrored cabinet.
- Light stems and fittings can be Satin Nickel, Brass, Oil-Rubbed Bronze or Chrome.
- Light stems use a canopy with a 2 1/4" fitter.
- UL approved light fixture.
- Maximum bulb size is 60 watts. Bulbs are not included.
- For Electrical Box Placement for Bath Lights: Center the electrical box for the light bar or cabinet width and 4 3/4" down from where the top of the crown is mounted. (Example: 24" wide cabinet or light would have box centered 12" from where the edge of the cabinet or light would be mounted and 4 3/4" down from top of cabinet.)

Fly-Over Light Features

- 1/2" cherry, hickory, maple or oak veneer core plywood plate in bulb area.
- Each Xenon light bulb is 20 watts. Xenon bulbs are similar to halogen except they are slightly cooler and therefore safer. NOTE: Do not use Halogen replacement bulbs in these lights. Halogen replacement bulbs get very hot and can cause a fire.
- Do not place a dimmer switch on a fly-over light as the transformer has to have full power and a dimmer will interrupt power to the transformer and cause a hum.
- Fly-Over Lights have a 6' cord that plugs into a standard 110 volt electrical outlet.
- Xenon Lights are designed for accent lighting, not as a primary light source.
- Xenon Bulbs are included with fixture.

Framed Mirror Features

- Ends are 1/2" cherry, hickory, maple or oak veneer core plywood.
- Framed Mirrors, Lighted Framed Mirrors and Tall Framed Mirrors have 3/16" mirror with beveled edge.
- Mitered Frame Mirrors do not have a crown, sill or ends and are solid wood. They have 3/16" non-beveled mirror.

Mirrored Cabinet

- Hinges are concealed self-closing with 106°-110° opening.
- Breakfront models are available in 48", 54" and 60" widths.
- All cabinets have three adjustable shelves. Shelves are solid 5/8" Baltic Birch except for corner mirrored cabinets and Classic Tri-views which have two adjustable shelves of 1/2" maple veneer core plywood with a birch strip applied to the front edge.
- Surface mount mirrored cabinets have 3/16" mirror with beveled edge and a 1/4" plywood back on doors.
- Surface mount mirrored cabinets can have lights built-in. The lights have features as outlined under "Bath Light Features".
- Bottom sill adds 1" to width and depth.

Toilet Topper Features

- Hinges are concealed self-closing with 106°-110° opening.
- The standard toilet topper has one adjustable shelf. The large toilet topper has two adjustable shelves. Shelves are solid 5/8" Baltic Birch.
- Ends are 1/2" cherry, hickory, maple or oak veneer core plywood.
- Bottom sill adds 1" to width and depth.

Premier Series Features

Linen Cabinet Features

- The crown molding sub-assembly is shipped ready to install with instructions for easy assembly.
- Ends of 1/2" cherry, hickory, maple or oak veneer core plywood.
- Door hinges are concealed self-closing with 106° - 110° opening.
- Shelves are made of 1/2" maple veneer core plywood with a birch strip applied to the front edge.
- Linen Cabinet (85 3/4" tall with crown molding) has 2 fixed shelves and 3 adjustable shelves.
- LB - Linen Utility has 1 fixed and 3 adjustable shelves.
- LC/LJ - Linen Cabinet has 2 fixed shelves and 3 adjustable shelves.
- LD/L2 has 1 fixed shelf, 2 adjustable shelves and 3 drawers.
- LF/L7 - Linen Cabinet has 1 fixed shelf, 2 adjustable shelves and 3 drawers.
- LH - Linen Hamper has 2 fixed shelves, 2 adjustable shelves and 1 roll-out hamper.

Counter Wall Cabinet Features

- The crown molding sub-assembly is shipped ready to install with instructions for easy assembly.
- Ends of 1/2" cherry, hickory, maple or oak veneer core plywood.
- Door hinges are concealed self-closing with 106° - 110° opening.
- Shelves are made of 1/2" maple veneer core plywood with a birch strip applied to the front edge.
- Counter Wall Cabinet (47 1/2" tall with crown molding) is designed to sit on a vanity top. These models are 12" or 10 1/4" deep.
- Glass for Counter Wall Cabinet is 3/16" clear glass with beveled edge, except for Monterey, which has Reeded Glass as standard. Optional Reeded glass is 3/16" thick.
- All open areas or areas behind a glass door are stained and finished.
- TG, TJ - Counter Wall Cabinet has 1 fixed and 2 adjustable shelves. It is stained and finished inside. Top door is glass.
- TF - Counter Wall Cabinet has 1 fixed, 1 adjustable shelf and 3 drawers. It is stained and finished inside. Top door is glass.
- TK, TL - Counter Wall Cabinet has 1 fixed and 2 adjustable shelves.
- TE - Counter Wall Cabinet has 1 fixed and 1 adjustable shelf and 3 drawers.
- TM - Counter Wall Cabinet with Open Shelves has 1 fixed and 2 adjustable shelves.

Premier Series Features

Bath Light Features

- Lights can be separate or built into the mirrored cabinet.
- Light stems and fittings can be Satin Nickel, Brass, Oil-Rubbed Bronze or Chrome.
- Light stems use a canopy with a 2 1/4" fitter.
- UL approved light fixture.
- Maximum bulb size is 60 watts. Bulbs are not included.
- For Electrical Box Placement for Bath Lights: Center the electrical box for the light bar or cabinet width and 4 3/4" down from where the top of the crown is mounted. (Example: 24" wide cabinet or light would have box centered 12" from where the edge of the cabinet or light would be mounted and 4 3/4" down from top of cabinet.)

Fly-Over Light Features

- 1/2" cherry, hickory, maple or oak veneer core plywood plate in bulb area.
- Each Xenon light bulb is 20 watts. Xenon bulbs are similar to halogen except they are slightly cooler and therefore safer. NOTE: Do not use Halogen replacement bulbs in these lights. Halogen replacement bulbs get very hot and can cause a fire.
- Do not place a dimmer switch on a fly-over light as the transformer has to have full power and a dimmer will interrupt power to the transformer and cause a hum.
- Fly-Over Lights have a 6' cord that plugs into a standard 110 volt electrical outlet.
- Xenon Lights are designed for accent lighting, not as a primary light source.
- Xenon Bulbs are included with fixture.

Framed Mirror Features

- Ends are 1/2" cherry, hickory, maple or oak veneer core plywood.
- Framed Mirrors, Lighted Framed Mirrors and Tall Framed Mirrors have 3/16" mirror with beveled edge.
- Mitered Frame Mirrors do not have a crown, sill or ends and are solid wood. They have 3/16" non-beveled mirror.

Mirrored Cabinet

- Hinges are concealed self-closing with 106°-110° opening.
- Breakfront models are available in 48", 54" and 60" widths.
- All cabinets have three adjustable shelves. Shelves are solid 5/8" Baltic Birch except for corner mirrored cabinets and Classic Tri-views which have two adjustable shelves of 1/2" maple veneer core plywood with a birch strip applied to the front edge.
- Surface mount mirrored cabinets have 3/16" mirror with beveled edge and a 1/4" plywood back on doors.
- Surface mount mirrored cabinets can have lights built-in. The lights have features as outlined under "Bath Light Features".
- Bottom sill adds 1" to width and depth.

Toilet Topper Features

- Hinges are concealed self-closing with 106°-110° opening.
- The standard toilet topper has one adjustable shelf. The large toilet topper has two adjustable shelves. Shelves are solid 5/8" Baltic Birch.
- Ends are 1/2" cherry, hickory, maple or oak veneer core plywood.
- Bottom sill adds 1" to width and depth.